

Product Detail

Isometric View





Distributor: Contractor: Project: Product Detail: PDM35 Quantity: Approved By: Architect: Date:

Flex-C Header

Specifications

Length: 8' Widths:

For Wood Studs: 2"x4", 2"x6" For Steel Studs: 3 5/8", and 6"

Minimum Radius: 18"

	Thickness	Grade	Coating/Treatment
Side Steel Sheet	16 Ga.	50	G60 or Better
Flex-C Channel	20 Ga.	33	G60 or Better
Flex-C Strap	0.023"	80	G60 or Better
Wood Blocks Commercial*	1 1/2"	#2	Fire Treated
Wood Blocks Residential*	1 1/2"	#2	

^{*} Factory installed inside Flex-C Header

Recommended Fasteners

Single Openings:

Screws: #10x1 1/4" self drilling ASTM C954-93-Not Provided Nails: 0.131"x1 1/2" Positive Placement Heat Treated-Not Provided

Multiple Openings:

Screws: #8 x1 1/4" self drilling ASTM C954-93- Provided

Nails: 0.131"x1 1/2" Positive Placement Heat Treated- Not Provided

Note: Please refer to the Flex-C Header cut sheet for installation instructions and proper layout instructions which must be followed.



5500 SW 36th Street
Oklahoma City, OK 73179
Tel: 405-996-5343 Fax: 405-996-5353
E-mail: info@flexabilityconcepts.com
Web: www.flexabilityconcepts.com